
Index

- Antenatal antecedents and the impact of obstetric care in the etiology of cerebral palsy, 775-776
 impact of obstetric care, 783-785
 infection and the inflammatory cytokine hypothesis, 778-780
 multiple gestation, 780-782
 pregnancy complications
 hemorrhage, 782-783
 preeclampsia, 783
 thrombophilias, 782
 viral infections, 782
 prematurity and low birth weight, 777-778
- Causative factors in cerebral palsy (CP), 749-750
 atypical intrauterine growth, 753-754
 birth asphyxia, 751-753
 causative factors not uniform in different CP subtypes and gestational ages, 751
 causes recognition, 750-751
 clues not pursued, 759
 congenital anomalies, 757
 genetics, 758
 infection, inflammation, and maternal fever in labor, 754-755
 multiple gestation, 757
 multiple risk factors, 758
 neonatal encephalopathy, 758-759
 perinatal ischemic stroke, 755-757
 placental pathology, 757-758
 prematurity, 753
- Cerebral palsy (CP), 742-743
 classification, 746-747
 criteria for diagnosis
 activity limitation, 745
 age at assessment, 745-746
 ataxia, 744
 dyskinesia, 744
 exclusion of other causes, 746
 mixed forms, 744
 neurologic impairment, 744
 spasticity, 744
 tools, 746
 usefulness of brain imaging, 746
 international definition, 743
 key features of, 743-744
- Diagnosis, treatment, and prevention of cerebral palsy, 816-817
 antenatal approaches to prevention, 825-826
 care of child with CP, 822-824
 diagnosis, 817-821
 neuroimaging classification, 821-822
 postnatal approaches to prevention, 826-827
 prognosis, 824-825
- Errors and analysis of errors, 656-657
 quality committee, 664-665
 quality improvement tools, 659
 failure mode effects analysis (FMEA), 662-663
 human error investigation, 663-664
 human factors, 659-662
 root cause analysis, 662
 quality indicators, 657-659
 quality program, 657
- Event reporting: the value of a nonpunitive approach, 647-649
 application of information to the practice of obstetrics, 654
 barriers to reporting in healthcare, 649-650
 current information systems are data rich and information poor, 651-652
 federal response to nonpunitive reporting, 651
 how reporting systems must change, 650
 reporting systems look, 652-653
 state efforts to advance safety, 650-651
- Imaging for diagnosis and treatment of cerebral palsy, 787-788
 current clinical applications
 cerebral dysgenesis, 796
 conventional MRI, 794-795
 diffusion imaging, 795-796
 MRS, 796
 term encephalopathy, 793-794
 WMI/PVL/preterm birth, 792-793
 imaging methods
 computed tomography (CT), 788-789
 cranial ultrasound (CUS), 788
 MRI, 789
 MRI techniques
 conventional anatomic imaging, 789-790
 diffusion MRI, 790-791
 fMRI, 791
 MR spectroscopy, 791
 volumetric MRI/surface-based analysis, 791-792
 new techniques, 796-797
- Managing a lawsuit
 anatomy of a lawsuit
 case resolution, 737-739
 depositions, 734-735
 expert testimony, 735-736

Index

- Antenatal antecedents and the impact of obstetric care in the etiology of cerebral palsy, 775-776
 impact of obstetric care, 783-785
 infection and the inflammatory cytokine hypothesis, 778-780
 multiple gestation, 780-782
 pregnancy complications
 hemorrhage, 782-783
 preeclampsia, 783
 thrombophilias, 782
 viral infections, 782
 prematurity and low birth weight, 777-778
- Causative factors in cerebral palsy (CP), 749-750
 atypical intrauterine growth, 753-754
 birth asphyxia, 751-753
 causative factors not uniform in different CP subtypes and gestational ages, 751
 causes recognition, 750-751
 clues not pursued, 759
 congenital anomalies, 757
 genetics, 758
 infection, inflammation, and maternal fever in labor, 754-755
 multiple gestation, 757
 multiple risk factors, 758
 neonatal encephalopathy, 758-759
 perinatal ischemic stroke, 755-757
 placental pathology, 757-758
 prematurity, 753
- Cerebral palsy (CP), 742-743
 classification, 746-747
 criteria for diagnosis
 activity limitation, 745
 age at assessment, 745-746
 ataxia, 744
 dyskinesia, 744
 exclusion of other causes, 746
 mixed forms, 744
 neurologic impairment, 744
 spasticity, 744
 tools, 746
 usefulness of brain imaging, 746
 international definition, 743
 key features of, 743-744
- Diagnosis, treatment, and prevention of cerebral palsy, 816-817
 antenatal approaches to prevention, 825-826
 care of child with CP, 822-824
 diagnosis, 817-821
 neuroimaging classification, 821-822
 postnatal approaches to prevention, 826-827
 prognosis, 824-825
- Errors and analysis of errors, 656-657
 quality committee, 664-665
 quality improvement tools, 659
 failure mode effects analysis (FMEA), 662-663
 human error investigation, 663-664
 human factors, 659-662
 root cause analysis, 662
 quality indicators, 657-659
 quality program, 657
- Event reporting: the value of a nonpunitive approach, 647-649
 application of information to the practice of obstetrics, 654
 barriers to reporting in healthcare, 649-650
 current information systems are data rich and information poor, 651-652
 federal response to nonpunitive reporting, 651
 how reporting systems must change, 650
 reporting systems look, 652-653
 state efforts to advance safety, 650-651
- Imaging for diagnosis and treatment of cerebral palsy, 787-788
 current clinical applications
 cerebral dysgenesis, 796
 conventional MRI, 794-795
 diffusion imaging, 795-796
 MRS, 796
 term encephalopathy, 793-794
 WMI/PVL/preterm birth, 792-793
 imaging methods
 computed tomography (CT), 788-789
 cranial ultrasound (CUS), 788
 MRI, 789
 MRI techniques
 conventional anatomic imaging, 789-790
 diffusion MRI, 790-791
 fMRI, 791
 MR spectroscopy, 791
 volumetric MRI/surface-based analysis, 791-792
 new techniques, 796-797
- Managing a lawsuit
 anatomy of a lawsuit
 case resolution, 737-739
 depositions, 734-735
 expert testimony, 735-736

- initiation of a claim, 733-734
- written discovery, 734
- first and immediate contact, 731-733
- Negotiating, mediating, and arbitrating
 - physician-patient conflicts
 - arbitrating physician-patient conflicts, 728-729
 - mediating physician-patient conflicts, 726-728
 - negotiating physician-patient conflicts, 722-726
 - patient's story, 719-722
- Neurodevelopmental management strategies for
 - children with cerebral palsy, 800-801
 - available treatments and care coordination, 811-813
 - child and family stressors of CP, 806-807
 - adolescent and adult outcomes, 807-808
 - developmental, behavioral, and functional status and support status assessments
 - Assessment of Life Habits (LIFE-H), 808-809
 - Family Support Scale (FSS), 810
 - Health Utilities Index (HUI3), 810-811
 - Pediatric Evaluation of Disability Inventory (PEDI), 808
 - Pediatric Quality of Life Inventory (PedsQL), 810
 - SDQ, 809-810
 - Support Functions Scale (SFS), 810
- neurodevelopmental framework on disability in
 - functioning for children with CP, 801-803
 - epidemiology of CP, 805-806
 - types of CP, 803-805
- Physician error and disclosure, 700-701
 - approaches to physician error and disclosure
 - Institute of Medicine's (IOM) 1999 study, 702
 - Joint Commission, 702
 - Patient Safety and Quality Improvement Act of 2005, 703
 - best disclosure, 706-707
 - disclosure legislation, 703-705
 - disclosures and accompanying apologies, 703
 - do the apology/disclosure policies work?
 - Harvard hospital's policy, 706
 - Lexington VA study, 705
 - University of Michigan study, 705-706
 - how to disclose, 707
 - mismatch of attitudes, 701-702
- Physician practice behavior and litigation risk:
 - evidence and opportunity, 688-689
 - avoiding courtroom, 694-697
 - can physicians really change behavior?, 697-698
 - distribution of malpractice claims among
 - obstetricians, 692-694
 - failure of communication, 689-690
 - filing malpractice suits, 690-692
 - occurrence of errors, 689
- Practice patterns to decrease the risk of a malpractice suit, 680-681
 - patterns to decrease legal risk
 - charting, 685
 - comments to patients about care by other physicians, 686
 - informing, educating, and involving patients, 683-684
 - obtaining consult and making referrals, 684-685
 - teamwork, 685-686
 - patterns to decrease medical risk
 - design and implement safe systems, 681-682
 - evidence-based medicine, 681
 - listening to patients, 683
 - listen to patients, 683
 - supervision, 682-683
- Prevention, diagnosis, and treatment of cerebral palsy
 - in near-term and term infants
 - cerebral function monitoring in the neonatal period, 831
 - correlation of MRI patterns of injury and prenatal and perinatal factors, 833
 - diagnosis of CP in term and near-term infants, 831-832
 - diagnosis of encephalopathy in term and near-term infants, 830-831
 - hypothermia trials, 835
 - incidence and risk factors, 829-830
 - longer follow-up of infants receiving hypothermia, 836-837
 - meta-analyses of trials, 835-836
 - neonatal encephalopathy, 830
 - neuroimaging, 832-833
 - other treatments, 837
 - perinatal arterial stroke, 830
 - prevention of CP in term and near-term infants, 833-835
 - relationship of the type of CP to etiology in term and near-term infants, 832
 - treatment of neurologic sequelae, 837-838
 - treatment of oromotor sequelae, 838
- 3Rs program: the Colorado experience
 - case examples
 - general surgery, 715
 - IM-gastroenterology, 715-716
 - OB/GYN, 715
 - orthopedic surgery, 715
 - COPIC, history of, 709-710
 - hard data, 714-715
 - impact, 717
 - a patient study, 717
 - program management
 - role of administrator, 711-713
 - role of medical director, 711
 - role of physician participant, 713-714
 - soft data
 - patient's comments, 716
 - physician comments, 716

- Team approach to care in labor and delivery, 666-667
 - classroom course, 670, 671-673
 - coaching and sustaining new behaviors, 674
 - crew resource management (CRM)
 - introduction of, 667
 - principles, 668-669
 - translation into medicine, 667-668
 - how team training can decrease malpractice risk, 674-677
 - team attributes, 669
 - teamwork curriculum, 669-670
 - overview of, 671
- Trends in the rates of cerebral palsy associated with neonatal intensive care of preterm children
 - birth data
 - birth weight and gestational age, 771
 - intrauterine growth failure, 772
 - male sex, 772
 - multiple births, 772
 - considerations in using CP as a marker of
 - perinatal brain injury in preterm infants
 - age of child at definitive diagnosis of CP, 767-768
 - birth weight vs. gestational age-specific rates of CP, 768
 - definition of CP, 766-767
 - population type, 766
 - singleton vs. multiple births, 768
- maternal obstetric and perinatal causes of CP
 - antenatal steroid, 771
 - cesarean section, 771
 - fetomaternal infections, 771
 - intrapartum hypoxia, 771
 - magnesium sulfate, 771
 - placental hemorrhage, 771
 - social class, 771
- neonatal intensive care of preterm infants, 764-766
- neonatal risk factors
 - chronic lung disease, 773
 - hypothyroxinemia, 772-773
 - neonatal infections/septicemia, 772
 - periventricular hemorrhage, 772
 - periventricular leukomalacia (PVL), 772
- neonatal therapies
 - indomethacin, 773
 - postnatal steroid use, 773
- perinatal and neonatal correlates and causes of CP, 769-770
- trends of CP among preterm children, 768-769

